



# Angle

Size in Inches			Estimated Weight in Lbs				
A	B	C	Per Foot	20'	40'	Galv Per Foot	Galv 20'
1/2	1/2	1/8	.38	8	16	.40	8
3/4	3/4	1/8	.59	12	24	.62	13
1	1	1/8	.80	16	32	.84	17
		3/16	1.16	24	47	1.22	25
		1/4	1.49	30	60	1.57	32
1 1/4	1 1/4	1/8	1.01	21	41	1.06	22
		3/16	1.48	30	60	1.55	32
		1/4	1.92	39	77	2.02	41
1 1/2	1 1/2	1/8	1.23	25	50	1.29	26
		3/16	1.80	36	72	1.89	38
		1/4	2.34	47	94	2.46	50
		3/8	3.35	67	134	3.52	71
1 3/4	1 1/4	1/4	2.52	51	101	2.65	53
	1 3/4	1/8	1.44	29	58	1.51	31
		3/16	2.12	43	85	2.23	45
		1/4	2.77	56	111	2.91	59
2	1 1/4	1/4	2.55	51	102	2.68	54
	1 1/2	1/8	1.44	29	58	1.51	31
		3/16	2.12	43	85	2.23	45
		1/4	2.77	56	111	2.91	59
	2	1/8	1.65	33	66	3.38	68
		3/16	2.44	49	98	2.56	52
		1/4	3.19	64	128	3.35	67
		5/16	3.92	79	157	4.12	83
2 1/2	1 1/2	3/16	2.44	49	98	2.56	52
		1/4	3.19	64	128	3.35	67
	2	3/16	2.75	55	110	2.89	58
		1/4	3.62	73	145	3.80	77
		5/16	4.50	90	180	4.73	95
		3/8	5.30	106	212	5.57	112
	2 1/2	3/16	3.07	62	123	3.22	65
		1/4	4.10	82	164	4.31	87
5/16		5.00	100	200	5.25	105	
3/8		5.90	118	236	6.20	124	
3	2	1/2	7.70	154	308	8.09	162
		3/16	3.07	62	123	3.22	65
		1/4	4.10	82	164	4.31	87
		5/16	5.00	100	200	5.25	105
		3/8	5.90	118	236	6.20	124
	2 1/2	1/2	7.70	154	308	8.09	162
		3/16	3.39	68	136	3.56	72
		1/4	4.50	90	180	4.73	95
3	2 1/2	5/16	5.60	112	224	5.88	118
		3/8	6.60	132	264	6.93	139
		1/2	8.50	170	340	8.93	179
		3/8	6.60	132	264	6.93	139



# Angle

Size in Inches			Estimated Weight in Lbs					
A	B	C	Per Foot	20'	40'	Galv Per Foot	Galv 20'	
3	3	3/16	3.71	75	149	3.90	78	
		1/4	4.90	98	196	5.15	103	
		5/16	6.10	122	244	6.41	129	
		3/8	7.20	144	288	7.56	152	
		1/2	9.40	188	376	9.87	198	
3 1/2	2 1/2	1/4	4.90	98	196	5.15	103	
		5/16	6.10	122	244	6.41	129	
		3/8	7.20	144	288	7.56	152	
		1/2	9.40	188	376	9.87	198	
	3	1/4	5.40	108	216	5.67	114	
		5/16	6.60	132	264	6.93	139	
		3/8	7.90	158	316	8.30	166	
		1/2	10.20	204	408	10.71	215	
	3 1/2	3/16	4.25	85	170	4.46	90	
		1/4	5.80	116	232	6.09	122	
		5/16	7.20	144	288	7.56	152	
		3/8	8.50	170	340	8.93	179	
4	3	1/4	5.80	116	232	6.09	122	
		5/16	7.20	144	288	7.56	152	
		3/8	8.50	170	340	8.93	179	
		1/2	11.10	222	444	11.66	234	
	3 1/2	1/4	6.20	124	248	6.51	131	
		5/16	7.70	154	308	8.09	162	
		3/8	9.10	182	364	9.56	192	
		1/2	11.90	238	476	12.50	250	
	4	4	1/4	6.60	132	264	6.93	139
			5/16	8.20	164	328	8.61	173
			3/8	9.80	196	392	10.29	206
			7/16	11.30	226	452	11.87	238
			1/2	12.80	256	512	13.44	269
			5/8	15.70	314	628	16.49	330
	5	3	3/4	18.50	370	740	19.43	389
			1/4	6.60	132	264	6.93	139
5/16			8.20	164	328	8.61	173	
3/8			9.80	196	392	10.29	206	
3 1/2		1/2	12.80	256	512	13.44	269	
		1/4	7.00	140	280	7.35	147	
		5/16	8.70	174	348	9.14	183	
		3/8	10.40	208	416	10.92	219	
		1/2	13.60	272	544	14.28	286	
		5/8	16.80	336	672	17.64	353	
	3/4	19.80	396	792	20.79	416		



# Angle

Size in Inches			Estimated Weight in Lbs					
A	B	C	Per Foot	20'	40'	Galv Per Foot	Galv 20'	
5	5	1/4	8.25	165	330	8.66	174	
		5/16	10.30	206	412	10.82	217	
		3/8	12.30	246	492	12.92	259	
		7/16	14.30	286	572	15.02	301	
		1/2	16.20	324	648	17.01	341	
		5/8	20.00	400	800	21.00	420	
		3/4	23.60	472	944	24.78	496	
		7/8	27.17	544	1,087	28.53	571	
6	3 1/2	5/16	9.80	196	392	10.29	206	
		3/8	11.70	234	468	12.29	246	
		1/2	15.30	306	612	16.07	322	
	4	5/16	10.30	206	412	10.82	217	
		3/8	12.30	246	492	12.92	259	
		7/16	14.30	286	572	15.02	301	
		1/2	16.20	324	648	17.01	341	
		5/8	20.00	400	800	21.00	420	
		3/4	23.60	472	944	24.78	496	
		7/8	27.17	544	1,087	28.53	571	
	6	6	1/4	10.01	201	401	10.51	211
			5/16	12.50	250	500	13.13	263
			3/8	14.90	298	596	15.65	313
			7/16	17.20	344	688	18.06	362
			1/2	19.60	392	784	20.58	412
			9/16	21.90	438	876	23.00	460
			5/8	24.20	484	968	25.41	509
			3/4	28.70	574	1,148	30.14	603
7/8			33.10	610	1,220	34.76	696	
7	4	1	37.40	748	1,496	39.27	786	
		3/8	13.60	272	544	14.28	286	
		1/2	17.90	358	716	18.80	376	
		5/8	22.10	442	884	23.21	465	
8	4	3/4	26.20	524	1,048	27.51	551	
		1/2	19.60	392	784	20.58	412	
		3/4	28.70	574	1,148	30.14	603	
	6	1	37.40	748	1,496	39.27	786	
		1/2	23.00	460	920	24.15	483	
		5/8	28.50	570	1,140	29.93	599	
		3/4	33.80	676	1,352	35.49	710	
	8	8	1	44.20	884	1,768	46.41	929
			1/2	26.40	528	1,056	27.72	555
			5/8	32.70	654	1,308	34.34	687
			3/4	38.90	778	1,556	40.85	817
			7/8	45.00	900	1,800	47.25	945
1			51.00	1,020	2,040	53.55	1,071	
	1 1/8	56.90	1,138	2,276	59.75	1,195		